

faishak



INTERNATIONAL CONSUMER PRODUCT CATALOGUE V3









Door Bottom Seals Door & Window Perimeter Seals Garage Seals Trade Professional Floor Edging & Stair Treads Threshold Access Ramps DIY Window Cleaning Glidex® Advanced Window Cleaning Inspire[®] Garden Edging







Throughout Australia and the rest of the world hardware groups, home centres, hardware independents and variety stores have relied on Raven for its leading range of door and window seals. Today, Raven also provides an extensive range of window cleaning products, floor edging, access ramps, and garden edging, in addition to the popular door and window seal range to the retail, DIY, and trade markets worldwide.

The Original & The Best

Established in 1950, Raven Products Pty Ltd remains an Australian family owned and operated company.

Raven is one of Australia's most trusted brands. A pioneer in the hardware industry, it invents, designs, and manufactures products that are available across Australia and distributed around the world.

Raven has perfected and streamlined its quality manufacturing and distribution systems that guarantee our unwavering commitment to deliver the best products at the best price backed by the best service.



Quality & Innovation

Raven Products Pty Ltd is quality certified to the highest ISO 9001 standards and operates to environmental ISO4001 and OH&S AS/NZS 4801. Also listed as a preferred manufacturer and supplier with Australia's internationally respected organisation, Global GreenTag, we continue to maintain our reputation and leading market position throughout Australasia and the world. Our continual improvement policy means that we continue to invent new and innovative products perfectly tuned to the latest consumer trends and demands.



Contents







The Door & Window Sealing Issue

For doors and windows to function, they must have gaps between their edges and the frame to allow for easy operation and to accommodate normal building movement.

However, these gaps can allow the intrusion of draughts, dust, insects, rain, noise, rodents, and bushfire embers. Unsealed doors and windows allow the leakage of heating and cooling which significantly increases energy costs and reduces the energy efficiency of other design elements of a building.



Did you know?

The heating and cooling loss from an unsealed home through gaps around doors and windows is around 15%.

This is not difficult to understand when you consider that the gap around an average door equates to a hole being the size of a house brick!



The Sealing Solution

The sealing solution is to fit Raven seals which seal the gaps around doors and windows against a combination of intrusions and leakages.

Properly selected and installed, a complete and continuous seal can be achieved for all door and window types without impeding their normal use. These are known as 'sealing systems'.

Optimum sealing systems can be achieved by combining the appropriate Raven door bottom seals, threshold trims, and perimeter seals.



What Does it Cost?

While the problem is big, the cost of a solution is small and could save you hundreds of dollars per year. Installing Raven door and window seals is a cost-effective way to improve energy efficiency, especially compared to pricier options like double glazing or insulation for roofs and walls.





2



Embers

Seal Application Icons

Icons have been used to help identify appropriate seals for various applications to make product selection easier. All seals are designed to meet most standards, and in most cases, perform more than one function.



Raven Seal Selection Guide

It's easier than ever to select the right seals using the product selection guide below. Simply identity the type of door or window you have and the problem you are trying to solve and you will be able to quickly see which seals are suitable for you.

Most doors and windows can be sealed using a combination of door bottom seals and frame DOOR / WINDOW PROBLEM																		
perimeter seals. Th					าดพ									PPER NC				
1. Identify type of	f door or wind	ow.					<u>ن،</u>	A /	ast.		/ /		1.H	NG NG				
2. Identify the pro	blem.				NG)	10) NO	11NC			J)	cNF	Į.	35	./	/ ,		atte
3. Identify seal red	quired using			SE .		N/St	N/24	in.		<u></u>	5 (A	2/18	×s				J.	C EMP
this guide.			K	$\tilde{\mathbf{x}}$		Y SI	E M	2/2	Į,		6, (2	H.	/s	Ś.	5,1		12 HRL
		13	MGL	MO	00%	NN CORE	ill'si	10/2	RE	A BIN	FOLD CA	RAR	Alle	012	SEC	EATP	OD'	15 HRE HARDS
DOOR	RP2A																	Up to 19mm
BOTTOM	RP3																	Up to 16mm
SEALS	RP4																	25mm between door & sill required
	RP5																	Up to 19mm
	RP17																	Up to 19mm
	RP54																	22-25mm between door & sill required
	RP60																	Up to 15mm
	RP83																	Up to 19mm
	RP123																	20mm between door & sill required
SEALS FOR	RP14																	3 to 5mm
AROUND	RP48																	3 to 5mm
DOORS &	RP55																	3 to 6mm
WINDOWS	RP59																	2 to 4mm
	RP61																	3 to 5mm
GARAGE SEALS	RP141																	Threshold sill seal
	RP142																	Replacement roller-door seal
	RP143																	Replacement roller-door seal
LARGE GAPS	RP14A 19 x	6mi	m thi	ick	RP	14в	12 x	12n	าm tl	hick	R	P10)8 15	5 x 8	mm	thick	(User determined application

© Raven Products Pty. Ltd. 2024

Fitting Instructions

Refer to back of packaging for step-by-step installation instructions and guides, or visit our website raven.com.au



Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of door bottom seals designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact. Popular ranges are also available in trade packs.

Scan this QR code to view the full range online.







RP2A - Brush Strip Door Seal 🙆



Soft brush seal sweeps smoothly over hard floors.

• Ideal for all sliding and hinged doors up to 1220mm

Product Health Declaration[™] (GreenTag PHD[™])

- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

Global GreenTag^{Cert™}

BronzeHEALTH[™] HealthRATE[™]

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



RAVEN TR



Colour		Length	Re-order Code
	Bronze Anodised	920mm	R2AB
	biolize Anouised	1220mm	R2AB4
	ilver Anodised	920mm	R2AC
	Silver Anouised	1220mm	R2AC4
	Gold Anodised	915mm	R2AG



RP3 - Automatic Weather Seal 🖄

Automatically lifts to clear carpet. Seals tight when door closes.

- Ideal for single inward opening, butt hinged doors 385mm 1220mm
- Easy fit, fixings included
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 16mm
- Tested to over 1,000,000 operating cycles without failure

Global GreenTag^{Cert™}

Product Health Declaration™ (GreenTag PHD™) PlatinumHEALTH™ HealthRATE™

Colou	r	Length (cut back)	Re-order Code
	Bronze Anodised	920mm (385mm)	R3B
	bronze Anouiseu	1220mm (920mm)	R3B4
	Silver Anodised	920mm (385mm)	R3C
	Sliver Anouised	1220mm (920mm)	R3C4
	Gold Anodised	920mm (385mm)	R3G
	Gold Anodised	1220mm (920mm)	R3G4
	Black Anodised	920mm (385mm)	R3BK



5



RAVEN

RAVEN







RP4 - Storm Proof Door Seal 🗹

淡鳞鲨驼紫ミ盔斑

Weatherproof.

- Ideal for single and double butt hinged doors up to 920mm
- Handy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium with UV treated seal gaskets
- Seals Gaps: 23mm to 25mm (trim door to suit)

Global GreenTag^{Cert™} Product Health Declaration[™] (GreenTag PHD[™]) PlatinumHEALTH[™] HealthRATE[™]

Colour		Length	Re-order Code
	Bronze Anodised	926mm	R4B
	Silver Anodised	926mm	R4C
	Gold Anodised	926mm	R4G



RP5 - Weather Strip Door Seal 🙆

※ | ※ ※ ※ | ※

Weather strip seal for raised door sills.

- Ideal for security screens & outward opening doors up to 920mm
- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.

Global GreenTag^{Cert™} Product Health Declaration[™] (GreenTag PHD[™]) PlatinumHEALTH™ HealthRATE™







6





RP17 - Door Bottom Sweep Seal 🙆



Flexible seal sweeps over carpet and hard floors.

• Quality UV treated co-extruded polymer seal

- Ideal for sliding and hinged doors up to 920mm
- Easy fit, self-adhesive

Global GreenTag^{Cert™}

• Seals Gaps: 0mm to 19mm Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



RAVEN



Coloui	r	Length	Re-order Code
	Brown	920mm	R17B
	White	920mm	R17W



RP54 - Daniels Rainstop Seal 🙆



Rainproof.

• Ideal for inward opening hinged doors up to 920mm

Product Health Declaration[™] (GreenTag PHD[™])

- For double doors, use two seals
- Handy fit, fixings included
- Quality long life anodised aluminium. UV treated co-extruded polymer seal
- Seals Gaps: 23mm to 25mm

PlatinumHEALTH[™] HealthRATE[™]

Global GreenTag^{Cert™}



Colou	r	Length	Re-order Code
	Silver Anodised	915mm	R54





9

41

RP60 - Automatic Noise & Weather Seal 🗳



Automatically lifts to clear carpet. Seals tight when door closes

- Ideal for single or double, butt hinged doors up to 920mm
- Easy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium. UV treated rubber seal & cover strip
- Seals Gaps: 0mm to 15mm
- Tested to over 500,000 operating cycles without failure
- Fire rating Up to FD240 / FRL & FRR-/60/30

Global GreenTag^{Cert™} Product Health Declaration™ (GreenTag PHD™) PlatinumHEALTH™ HealthRATE™

Colou	r	Length (cut back)	Re-order Code
	Bronze Anodised	920mm (450mm)	R60B
	Silver Anodised	920mm (450mm)	R60C
	Gold Anodised	915mm (450mm)	R60G
	Black Anodised	920mm (450mm)	R60BK



RP83 - Brush Strip Door Seal 🗳



Soft brush seal sweeps smoothly over hard floors.

- Ideal for all sliding and hinged doors up to 920mm
- Easy fit, self-adhesive
- Quality UV treated polymer holder. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.

```
Global GreenTag<sup>Cert™</sup>
Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>
```

Colour		Length	Re-order Code
Bro	own	920mm	R83B
Wh	nite	920mm	R83W



RAVEN

8







RP123 - Rain Proof Door Seal 🙆

淡鳞泌沉彩茎圆斑

Weatherproof.

- Ideal for single and double butt hinged doors, up to 1220mm
- Threshold plate suitable for flat sill or rebated sill
- Handy fit, screw fixings included
- For double doors, use two seals
- Quality anodised aluminium threshold plate. UV treated co-polymer seal
- Seals Gaps: Flat sill: 19mm to 20mm (trim door to suit) Rebated sill: 12mm to 13mm (trim door to suit)

Global GreenTag^{CertTM}

Product Health Declaration™ (GreenTag PHD™) PlatinumHEALTH™ HealthRATE™

Colour		Length	Re-order Code
	Bronze Anodised	915mm	R123B
	Bronze Anouiseu	1220mm	R123B4
	Silver Anodised	915mm	R123C
		1220mm	R123C4





Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of DIY perimeter seals and weather stripping designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact.

Scan this QR code to view the full range online.







RP14 - Seal Around Doors & Windows 🙆



- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 9mm (W)
- Self-adhesive

C

- For around doors and windows
- Seals gaps: 3mm to 5mm



PAVEN



Colour		Length	Re-order Code
	Grey	Em coil	R14G
	White	5m coil	R14W



RP14A - Weather Strip for Doors & Windows 🙆



- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 19mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 3mm to 5mm



Colour		Length	Re-order Code
	Grey	5m coil	R14AG
	White		R14A









- Superior quality urethane foam
- Size: 12 (H) x 12mm (W)
- Self-adhesive

C

- For around doors and windows
- Seals gaps: 8mm to 11mm



	⊢	12	
12			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Coloui		Length	Re-order Code
	White	2.5m coil	R14B



RP48 - Door & Window Weather Strip 🗹



Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.

- 6m single strip (2 x 3m) sufficient for average door frame
- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 3mm to 5mm

Global GreenTag^{Cert™}

Product Health Declaration™ (GreenTag PHD™) PlatinumHEALTH™ HealthRATE™











x × x × w x k

Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.

- 6m single strip (2 x 3m) sufficient for average door frame
- Superior guality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 3mm to 5mm

Global GreenTag^{Cert™}

Product Health Declaration[™] (GreenTag PHD[™]) PlatinumHEALTH[™] HealthRATE[™]

Colou	r	Length	Re-order Code
	Brown		R55B6
	White	6m coil (2 x 3m)	R55W6





※ ※ 》 % * ミ 図 ゆ

Superior guality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.

- 6m single strip (2 x 3m) sufficient for average door frame
- Superior guality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 2mm to 4mm

Global GreenTag^{Cert™}

Product Health Declaration[™] (GreenTag PHD[™]) Plat

PlatinumHEALTH™ HealthRATE™			
Colour		Length	Re-order Code
	Brown		R59B6
	Grey	6m coil (2 x 3m)	R59G6
	White		R59W6



NNAN	
RAVEN	
Window & Door Weather Strip	RP59 BROWN
Normal Galagy Millionary Venal Galagy	70 /
C man	









A self-adhesive soft woven pile draught seal which is ideal for sliding door and window applications.

- Ideal for sash window and other sliding seal applications
- Long lasting quality
- Self-adhesive
- Grey woven pile
- Seals gaps: 3mm to 5mm



Colour	Length	Re-order Code
Grey	5m coil	R61





RP108 - Multi-use Rubber Sealing Strip 🙆

RP108 is a multi purpose, user determined self-adhesive EPDM compression seal.

User determined application only - more packs may be required

- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 6mm to 8mm

```
Global GreenTag<sup>Cert™</sup>
Product Health Declaration<sup>™</sup> (GreenTag PHD<sup>™</sup>)
PlatinumHEALTH<sup>™</sup> HealthRATE<sup>™</sup>
```

Colou	r	Length	Re-order Code
	Grey		R108G
	White	2m coil	R108W









Garage Seals NEW

Keep your garage clean and dry! Stop rain, leaves and debris from blowing into your garage and protect your belongings from damage by sealing your garage door.

Raven's garage door seals are quick and easy to install and maintenance free.



Scan this QR code to view the full range online.



RAVEN





RP141 - Garage Door Threshold Seal 🙆



Length: 3200mm for a standard, single vehicle opening. For double vehicle openings, use two seals

- Suitable for Roll-Up, Panel-Lift and Tilt-up garage doors.
- Easy for cars and trucks to drive over
- A bushfire ember barrier up to BAL40 rating
- Maintenance free co-polymer with yellow step indicator
- Fits to a flat or stepped concrete floor





Colour		Length	Re-order Code
	Grey	3200mm	R141G3200



Roll-Up

Panel-Lift

Tilt-Up











Universal replacement seal to suit garage roller-doors:

- Gliderol
- B&D (made after 1997)
- Stramit
- Steel-line
- 3 metres long for a standard, single roller-door. For a wider door, use two seals



Flexible polymer seal

Colour		Length	Re-order Code
	Grey	3000mm	R142



RP143 - Replacement Roller-Door Seal 🙆



- Replacement seal to suit B&D garage roller-doors made before 1997.
- 3 metres long for a standard, single roller-door. For a wider door, use two seals
- Flexible polymer seal



Colour		Length	Re-order Code
	Grey	3000mm	R143



58







Trade Professional NEW

Introducing Raven's Trade Professional Range – a selection of commercial grade door bottom and frame seals, that are packaged in vibrant retail packaging ideal for in-store display.

The Trade Professional range can be used in new and retrofit applications and is ideal for medium duty applications such as offices, shops, and commercial accommodation.

Easily identifiable icons for fire, smoke and acoustic applications, or antimicrobial properties distinguish the premium features of this range.

Clearly marked packs make self-selection simple and convenient for busy contractors and tradespersons on the go.



Duty Levels

Icons have been used to assist specifiers and builders to select the right duty level to meet the expected duty cycle for each building class.

1		
L		
L	1\/L	
н		

Medium Duty

Generally used in commercial and medium traffic areas such as Class 3 - 6 Buildings.

Applications

Icons have been used to help identify appropriate seals for various applications to make product selection easier. All seals are designed to meet most standards and in most cases, perform more than one function.

Weather	Ambient (Cold) Smoke Temperatures up to 70°C.
Energy, Draughts and Dust	Medium Temperature Smoke (NCC S12C4) Temperatures of 200°C for 30 minutes (smoke doors).
لَيْسَ Light	Fire (Approved) In accordance with AS 1905.1.
Insects and Vermin	BAL SEZ Bushfire Attack Level in accordance with AS 3959.
Antimicrobial Raven gaskets and cover strips contain antimicrobial	Noise – Acoustic
compounds. Independently tested against E. Coli, Strep and MRSA.	Access and Mobility

Raven Seal Selection Guide

It's easier than ever to select the right seals using the product selection guide below. Simply identity the type of door or window you have and the problem you are trying to solve and you will be able to quickly see which seals are suitable for you.



© Raven Products Pty. Ltd. 2024





RP35SI - Automatic Door Bottom Seal 🕑



An adjustable, automatic door bottom seal that is spring loaded to lift clear of the floor when the door is opened. It is acoustically designed, featuring silicon gaskets for medium temperature smoke and fire door applications. Operated automatically by pressure against the door jamb or stop on its adjustable strike. • Ideal for timber and aluminium butt hinged doors up to 1070mm

- Screw fixed with fixings supplied

PlatinumHEALTH[™] HealthRATE[™]

• Seals Gaps: 3mm to 13mm Global GreenTag^{Cert™}

certifire Product Health Declaration[™] (GreenTag PHD[™])



Colou	r	Length (cut back)	Re-order Code
	Bronze Anodised	380mm (295mm)	A35SIBT0380
		820mm (600mm)	A35SIBT0820
		920mm (820mm)	A35SIBT0920
		1070mm (920mm)	A35SIBT1070
	Silver Anodised	380mm (295mm)	A35SICT0380
		820mm (600mm)	A35SICT0820
		920mm (820mm)	A35SICT0920
		1070mm (920mm)	A35SICT1070





RP120 - Door & Window Frame Seal 🕑



RP120 is a co-extruded PVC acoustic and smoke seal that is discreetly located in the protected corners of rebated timber or steel door and window frames. RP120 is now available in white as well as black to blend in with frames and is suitable for both new and retrofit applications.

- Ideal for perimeters of single and double butt hinged doors and windows
- Self-adhesive fix
- Seals Gaps: 3mm to 5.5mm

Global GreenTag^{Cert™} Product Health Declaration[™] (GreenTag PHD[™]) PlatinumHEALTH™ HealthRATE™





Colou	r	Length	Re-order Code
	Black		R120BK
	White	7200mm (6 x 1200mm)	R120W



22

Trade Professional







RP700 - Door & Window Seal 🙆



A self-adhesive silicon compression acoustic smoke seal, that is discreetly located in the protected corners of rebated metal, PVC or timber door and window frames. Suitable for new and retrofit applications.

- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix

(

• Seals Gaps: 4mm to 8mm





Colour		Length	Re-order Code
	Black		R700BK6
	Brown	6000mm	R700B6



RP710 - Door & Window Seal 🙆



A self-adhesive silicon compression acoustic smoke seal, that is discreetly located in the protected corners of rebated metal, PVC or timber door and window frames. Suitable for new and retrofit applications.

- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix
- Seals Gaps: 4mm to 6mm





Colour		Length	Re-order Code
	Black		R710BK6
	Brown	6000mm	R710B6

Trade Professional





RP720 - Door & Window Seal 🙆

NEW



A self adhesive silicon compression acoustic smoke seal, that is discreetly located in the protected corners of rebated metal, PVC or timber door and window frames. Suitable for new and retrofit applications.

- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix
- Seals Gaps: 3mm to 4mm

Colour		Length	Re-order Code
	Black		R720BK6
	Brown	6000mm	R720B6







Made from high quality anodised aluminium, Raven's range of floor edging, stair treads and trim are the ideal DIY solution available in various colours and lengths. Simply cut to size for a modern and flawless finish to flooring joins, thresholds and stair edges.

Scan this QR code to view the full range online.







H230 - Lino Edge 🙆

- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 6 (H) x 24mm (W)





Colour		Length	Re-order Code
	Silver Anodised	900mm	H230C
	Silver Anoused	1800mm	H230C H230AC H230G
	Cald Anadiand	900mm	H230G
	Gold Anodised	1800mm	H230AG



H231 - Carpet Edge 🙆

- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 9 (H) x 32mm (W)





Colour		Length	Re-order Code
	Silver Anodised	900mm	H231C
	Sliver Anoused	1800mm	
		900mm	H231G
	Gold Anodised	1800mm	H231AG





H233 - Flat Stair Edge 🔮

- Premium quality aluminium
- Size: 4 (H) x 38mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)





Colour		Length	Re-order Code
	Silver Anodised	1000mm	H233C
	Silver Anouseu	2000mm	H233C H233AC H233G
Gold Anodi	Cold Anadicad	1000mm	H233G
	Gold Anodised	2000mm	H233AG



H234 - Bullnose Stair Edge 🎱

- Premium quality aluminium
- Size: 15 (H) x 46mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)



4	46
15	······

Colour		Length	Re-order Code
	Silver Anodised	1000mm	H234C
		2000mm	H234AC
	Gold Anodised	1000mm	H234G
		2000mm	H234AG





H235 - Nails 🙆

- Dome head annular nail
- Size: 2.5 (Diameter) x 30mm (L)
- 5µm thick passivated plate
- 20 nails per pack
- Supplied with H230 Lino Edging and H231 Carpet Edging





Colour		Length	Re-order Code
	Silver Anodised	30mm	H235C
	Gold Anodised	30mm	H235G







H237 - Crescent Trim 🙆

- Premium quality aluminium
- Ideal for use with Raven door seals
- Size: 5 (H) x 25mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2



	25	
5		

Colour		Length	Re-order Code
	Silver Anodised	900mm	H237C
		1800mm	H237AC
	Gold Anodised	900mm	H237G



H238 - Flat Trim 🙆

- Premium quality aluminium
- Ideal for use with Raven door seals
- Size: 3 (H) x 40mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2



	40
3]	

Colour		Length	Re-order Code
	Silver Anodised	900mm	H238C
		1800mm	H238AC
	Cold Anadicad	900mm	H238G
	Gold Anodised	1800mm	H238AG





Threshold Access Ramps

The simplest most affordable threshold access ramp for homes, at work, shops, professional practices and more!

Surprisingly affordable and much cheaper than messy cement or custom made metal plates. The Raven threshold ramp simply lays in place or permanently fix with builder's adhesive. Raven threshold ramps meet access and mobility gradient 1:8 at doorways (in path of access and egress).

- Reduce tripping hazards at doorways
- Made from slip resistant recycled rubber
- Quick and easy installation
- Meets access and mobility gradient 1:8 (in path of access and egress)

For safety & convenience:

- At home
- In aged care facilities
- In hotels & motels

Ideal for:

- Delivery drivers & tradies
- Wheelchair users



Cross-Section

Scan this QR code to view the full range online.



Threshold Access Ramps







1010

TR025 - 25mm Threshold Access Ramp 🎱

Raven Threshold Access Ramps are ideal for users of wheelchairs, walking frames, electric scooters and hand trolleys; anyone that regularly traverses tripping hazards at doorways or abrupt surface transitions around the home or in the workplace.

- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)

PlatinumHEALTH™ HealthRATE™

Product Health Declaration[™] (GreenTag PHD[™])

- Maintenance free
- Simply cut to size

Global GreenTag^{Cert™}



Colour	Size	Re-order Code
Black	25 (H) x 200 (W) x 1010mm (L)	TR025





TR050 - 50mm Threshold Access Ramp 🙆

Raven Threshold Access Ramps are ideal for users of wheelchairs, walking frames, electric scooters and hand trolleys; anyone that regularly traverses tripping hazards at doorways or abrupt surface transitions around the home or in the workplace.

- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Simply cut to size

Global GreenTag^{CertTM}

Product Health Declaration™ (GreenTag PHD™) PlatinumHEALTH™ HealthRATE™

Colour	Size	Re-order Code
Black	50 (H) x 400 (W) x 1140mm (L)	TR050





DIY Window Cleaner Squeegees

Founder of Raven Products Pty Ltd, Peter Raven, invented and patented the world's first combination window cleaner / squeegee in the early 1950's. The Raven range of window cleaners and squeegees have remained a popular line in hardware stores across Australia ever since.

Constructed with ultralight aluminium, premium quality sponge and brush and incorporating a unique double life reversible rubber blade, the Raven range of window cleaners and squeegees are designed for reliable everyday window cleaning use.

Ideal for efficient window cleaning around the home, Raven window cleaners and squeegees are also suitable for cleaning motor car windscreens, boats, shower screens and more.

Scan this QR code to view the full range online.


DIY Window Cleaner Squeegees





H209A - Window Cleaner Squeegee 300mm 🙆

- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole





Colour	r	Length	Re-order Code
	Silver Anodised	300mm	H209a

H209B - Window Cleaner Squeegee 400mm 🙆

- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole





Colou	r	Length	Re-order Code
	Silver Anodised	400mm	H209b



H223 - Window Squeegee 225mm 🙆

- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles





13333334

Colou	r	Length	Re-order Code
	Mill Finish	225mm	H223

H224 - Window Squeegee 300mm 🙆

• Ultra light aluminium

C

- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles





Colou	r	Length	Re-order Code
	Mill Finish	300mm	H224



C



H225 - Window Squeegee 400mm 🙆

- Ultra light aluminium
- Reversible double life rubber blade
- Ergonomic handle grip fits most broom handles and extension poles





Mill Finish 400mm H225	Colour		Length	Re-order Code
		Mill Finish	400mm	H225

H2095 - Precision Rubber Blade 400mm 🙆

- Unique reversible rubber squeegee blade for twice the life.
- Suits any Raven Window Squeegee or Raven Window Cleaner Squeegee
- Simply cut to size

Colour	Length	Re-order Code
Grey	400mm	H209S
Window Sque		Window Squeegee



19

400



Glidex® Advanced Window Cleaning

Glidex[®] advanced window cleaning products are a result of many years of research and development using leading-edge manufacturing technologies.

Developed for the professional window cleaning market, Glidex[®] advanced window cleaning products are available through leading hardware outlets across Australia. The range includes professional grade, window squeegees and aluminium extension reach poles and accessories that include utility end tips, squeegee blades, channels, and spares.

The Glidex[®] professional range is perfect for coastal homes, retail shop owners and anyone wanting a safer and easier cleaning experience for larger glass areas with professional results.

Scan this QR code to view the full range online.



Glidex® Advanced Window Cleaning Sglidex®



Glidex® Advanced Window Cleaning Sglidex®



300mm Window Squeegee 🥝

- Unique reversible double life squeegee blade
- Aircraft grade aluminium channel
- Ergonomic swivel handle
- Fittings moulded in engineering grade Nylon 66
- Unique Safe-Connect[™] latch feature for Glidex[®] poles
- Unique double action lever lock feature
- Unique extra fitment groove to alter squeegee angle







450mm Channel & Rubber 🅑

- Ultra stiff alloy channel
- High temper aircraft grade aluminium
- Unique reversible double life squeegee blade
- Stainless steel retaining clips



_	_	1.	Ш.
450			

Colour		Length	Re-order Code
	Blue	450mm	GC18D

Glidex® Advanced Window Cleaning Sglidex®



350mm T-Bar Window Washer 🥝

- Unique Safe-Connect[™] latch feature for Glidex[®] poles
- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook and loop style fastening tabs







350mm Window Washer Replacement Sleeve 🅝

- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook & loop style fastening tabs



Concerning the

Colou	r	Length	Re-order Code
	Blue	350mm	GW14D





910mm Window Squeegee Refill Blade 🅑

- Unique reversible double life squeegee blade
- High quality natural rubber
- Simply cut to length
- Unique micro-eye process ensures rubber blade is free from imperfections





Colour	Length	Re-order Code
Black	910mm	GR36D



Utility End Tip 🙆

- Fits Glidex[®] extension poles
- Fits most paint rollers, brushes and squeegees
- Fittings moulded in engineering grade Nylon 66





Colour		Length	Re-order Code
Da	ark Grey	N/A	GPE2D





Inspire[®] Garden Edging

Inspire[®] Garden Edging's unique patented tooth design makes installation so quick and simple that anyone can do it.

With Inspire[®] Garden Edging you can achieve a professional finish without the hard work. Designed and manufactured in Australia, Inspire[®] garden edging does not need expensive pegs.

Australia's harsh weather conditions can be a challenge for any outdoor product. To meet this challenge head-on, Inspire[®] Garden Edging is made from durable, high grade colour-coated galvanised steel. Above all, this quality dual-layer protective coating ensures the longest life to keep your garden looking its best.

Available in Modern & Heritage designs.



Scan this QR code to view the installation video.



Inspire® Garden Edging NEW

inspire[®]





Inspire[®]



Heritage Garden Edging 伦

- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour		Length	Re-order Code
	Wood Grey	1000mm	EH100WG

1000





inspire[®]

Modern Garden Edging 🙆

- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour	Length	Re-order Code
Wood Grey	1000mm	EM100WG

1000







Index



Ε

EH100WG	5
EM100WG	7

G

G2P2	43
G3P9	43
GC18D	40
GPE2D	
GR36D	
GS12D	40
GT14D	
GW14D	41

Η

Н209А	
Н209В	
H209s	
H223	
H224	
H225	
H230	27
H231	27
Н233	
H234	
Н235	
H237	
H238	

R

RP2a	5
RP3	5
RP4	6
RP5	6
RP14	
RP14a	
RP14b	
RP17	7
RP35Si	22
RP48	
RP54	7
RP55	
RP59	
RP60	8
RP61	
RP83	8
RP108	
RP120	22
RP123	9
RP141	
RP142	
RP143	
RP700	23
RP710	23
RP720	

Т

TR025	
TR050	



Exclusively brought to you by:



- A: 1 Tampines North Drive 3 #07-09 BHCC Space Singapore 528499
- **P:** +65 6100 7824
- E: support@faishak.com
- A: G2 , No. 5/16, Thayammal Kudil Deva Raja St, West Tambaram Tamil Nadu India 600045 **P:** +91 6369 1388 35
- E: support@faishak.com



Raven Products Pty. Ltd.

Head Office and Factory 18–22 Aldershot Road, Lonsdale SA 5160 Australia

T +61 8 8384 5455 E sales@raven.com.au raven.com.au

Hong Kong and China Mainland

T +852 2987 6257 **E** cs.hk@ravensealing.com

India

T +91 87545 04448 E cs.in@ravensealing.com

Singapore

T +65 6543 6810 E cs.sg@ravensealing.com

United Arab Emirates

T +971 54 545 4133 E cs.me@ravensealing.com

United States of America

T +1 888 466 0030 **E** cs.us@ravensealing.com









