



INTERNATIONAL CONSUMER PRODUCT CATALOGUE V1

















Door Bottom Seals Door & Window Perimeter Seals Garage Seals Trade Professional Floor Edging & Stair Treads **Threshold Access Ramps DIY Window Cleaning** Glidex * Advanced Window Cleaning Inspire * Garden Edging





Introduction



Throughout Australia hardware groups, home centres, hardware independents and variety stores have relied on Raven for its leading range of door and window seals. Today, Raven also provides an extensive range of window cleaning products, floor edging, access ramps, and garden edging, in addition to the popular door and window seal range to the retail, DIY, and trade markets.

The Original & The Best

Established in 1950, Raven Products Pty Ltd remains an Australian family owned and operated company.

Raven is one of Australia's most trusted brands. A pioneer in the hardware industry, it invents, designs, and manufactures products that are available across Australia and distributed around the world.

Raven has perfected and streamlined its quality manufacturing and distribution systems that guarantee our unwavering commitment to deliver the best products at the best price backed by the best service.





Quality & Innovation

Raven Products Pty Ltd is quality certified to the highest ISO 9001 standards and operates to environmental ISO4001 and OH&S AS/NZS 4801. Also listed as a preferred manufacturer and supplier with Australia's internationally respected organisation, Global GreenTag, we can continue to maintain our reputation and leading market position throughout Australasia and the world. Our continual improvement policy means that we continue to invent new and innovative products perfectly tuned to the latest consumer trends and demands.







Exclusively brought to you by:



A: 1 Tampines North Drive 3 #07-09
BHCC Space
Singapore 528499

E · support@faishak.com

A : Olympia Technology Park No. 1 SIDCO Industrial Building Chennai 600032, India

• : +91 6369 1388 35

W · support@faishak.com

Contents





What is door & window sealing?

Choosing the Correct Seals 3



Floor Edging & Stair Treads

26



Door Bottom Seals 4



Threshold Access Ramps

32



Door & Window Perimeter Seals

10



DIY Window Cleaner Squeegees 34



NEW

Garage Seals

16



Glidex® Advanced Window Cleaning

38



NEW

Trade Professional 20



Inspire® Garden Edging

44

1

NEW

What is door & window sealing?



The Door & Window Sealing Issue

For doors and windows to function, they must have gaps between their edges and the frame to allow for easy operation and to accommodate normal building movement.

However, these gaps can allow the intrusion of draughts, dust, insects, rain, noise, rodents, and bushfire embers. Unsealed doors and windows allow the leakage of heating and cooling which significantly increases energy costs and reduces the energy efficiency of other design elements of a building.



Did you know?

The heating and cooling loss from an unsealed home through gaps around doors and windows is around 15%.

This is not difficult to understand when you consider that the gap around an average door equates to a hole being the size of a house brick!



The Sealing Solution

The sealing solution is to fit Raven seals which seal the gaps around doors and windows against a combination of intrusions and leakages.

Properly selected and installed, a complete and continuous seal can be achieved for all door and window types without impeding their normal use. These are known as 'sealing systems'.

Optimum sealing systems can be achieved by combining the appropriate Raven door bottom seals, threshold trims, and perimeter seals.



What Does it Cost?

2

While the problem is big, the cost of a solution is small which could save you hundreds per year. In fact, the energy saving benefit derived by fitting Raven door and window seals is a fraction of the cost as compared with double glazing or roof and wall insulation.





Choosing the Correct Seals



3


Seal Application Icons

Icons have been used to help identify appropriate seals for various applications to make product selection easier. All seals are designed to meet most standards, and in most cases, perform more than one function.



Raven Seal Selection Guide

It's easier than ever to select the right seals using the product selection guide below. Simply identity the type of door or window you have and the problem you are trying to solve and you will be able to quickly see which seals are suitable for you.



© Raven Products Pty. Ltd. 2023

Fitting Instructions

Refer to back of packaging for step-by-step installation instructions and guides, or visit our website raven.com.au

raven.com.au © Raven Products 2024



Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of door bottom seals designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact. Popular ranges are also available in trade packs.



Scan this QR code to view the full range online.







RP2A - Brush Strip Door Seal 🖸



Soft brush seal sweeps smoothly over hard floors.

- Ideal for all sliding and hinged doors up to 1220mm
- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



Colour		Length	Re-order Code
	Bronze Anodised	920mm	R2AB
		1220mm	R2AB4
	Silver Anodised	920mm	R2AC
		1220mm	R2AC4
	Gold Anodised	915mm	R2AG



RP3 - Automatic Weather Seal 2












Automatically lifts to clear carpet. Seals tight when door closes.

- Ideal for single inward opening, butt hinged doors 385mm 1220mm
- Easy fit, fixings included
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 16mm
- Tested to over 1,000,000 operating cycles without failure



Coloui	•	Length (cut back)	Re-order Code
	Bronze Anodised	920mm (385mm)	R3B
	Bronze Anodised	1220mm (920mm)	R3B4
	Silver Anodised	920mm (385mm)	R3C
	Silver Anodised	1220mm (920mm)	R3C4
	Cold Anadisad	920mm (385mm)	R3G
	Gold Anodised	1220mm (920mm)	R3G4
	Black Anodised	920mm (385mm)	R3BK



RAVEN

5






RP4 - Storm Proof Door Seal C



Weatherproof.

- Ideal for single and double butt hinged doors up to 920mm
- Handy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium with UV treated seal gaskets
- Seals Gaps: 23mm to 25mm (trim door to suit)








RP5 - Weather Strip Door Seal 🗹



Weather strip seal for raised door sills.

- Ideal for security screens & outward opening doors up to 920mm
- Easy fit, self-adhesive
- Quality long life anodised aluminium. UV treated rubber seal
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



6

Colo	ur	Length	Re-order Code
	Bronze Anodised	920mm	R5B
	Silver Anodised	920mm	R5C
	Gold Anodised	920mm	R5G




RAVEN






RP17 - Door Bottom Sweep Seal 🖸





- Ideal for sliding and hinged doors up to 920mm
- Easy fit, self-adhesive
- Quality UV treated co-extruded polymer seal
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



Colour		Length	Re-order Code
	Brown	920mm	R17B
	White	920mm	R17W



RP54 - Daniels Rainstop Seal 🗹
















Rainproof.

- Ideal for inward opening hinged doors up to 920mm
- For double doors, use two seals
- Handy fit, fixings included
- Quality long life anodised aluminium. UV treated co-extruded polymer seal
- Seals Gaps: 23mm to 25mm



Colour		Length	Re-order Code
	Silver Anodised	915mm	R54







RP60 - Automatic Noise & Weather Seal












Automatically lifts to clear carpet. Seals tight when door closes

- Ideal for single or double, butt hinged doors up to 920mm
- Easy fit, fixings included
- For double doors, use two seals
- Quality long life anodised aluminium. UV treated rubber seal & cover strip
- Seals Gaps: 0mm to 15mm
- Tested to over 500,000 operating cycles without failure
- Fire rating Up to FD240 / FRL & FRR-/60/30





RP83 - Brush Strip Door Seal 🖸
















- Ideal for all sliding and hinged doors up to 920mm
- Easy fit, self-adhesive
- Quality UV treated polymer holder. UV treated premium grade nylon brush
- Seals Gaps: 0mm to 19mm

Note: Contact surface must be clean, smooth and if painted, well cured. Self-adhesive seals will not stick to oil-rub finishes.



8

Colour	Length	Re-order Code
Brown	920mm	R83B
White	920mm	R83W














RP123 - Rain Proof Door Seal



Weatherproof.

- Ideal for single and double butt hinged doors, up to 1220mm
- Threshold plate suitable for flat sill or rebated sill
- Handy fit, screw fixings included
- For double doors, use two seals
- Quality anodised aluminium threshold plate. UV treated co-polymer seal
- Seals Gaps: Flat sill: 19mm to 20mm (trim door to suit) Rebated sill: 12mm to 13mm (trim door to suit)

Colour		Length	Re-order Code
	Bronze Anodised	915mm	R123B
		1220mm	R123B4
	Silver Anodised	915mm	R123C
		1220mm	R123C4





Raven pioneered DIY door and window seals in Australia offering the most comprehensive range to suit all consumer types and price points.

Raven offer a range of DIY perimeter seals and weather stripping designed to meet any need or configuration. The handy selection guide makes selecting the right product for the right application easier than ever ensuring you achieve the best result.

The iconic Raven brand is easily recognised with our tough tamper resistant packaging on DIY products giving improved product identification and greater display impact.



10

Scan this QR code to view the full range online.





RP14 - Seal Around Doors & Windows 🖸








- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 9mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 3mm to 5mm









RP14A - Weather Strip for Doors & Windows 🖸










- 5m strip sufficient for average door frame
- Superior quality urethane foam
- Size: 6 (H) x 19mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 3mm to 5mm

Colour		Length	Re-order Code
	Grey	E 1	R14AG
	White	5m coil	R14A







RP14B - Weather Strip for Doors & Windows 2









- Superior quality urethane foam
- Size: 12 (H) x 12mm (W)
- Self-adhesive
- For around doors and windows
- Seals gaps: 8mm to 11mm



	12	_
12		- 120 x 20
	40.240.240	20

Colour		Length	Re-order Code
	White	2.5m coil	R14B



RP48 - Door & Window Weather Strip 🖸




















- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 3mm to 5mm




	
6	

12

Colour		Length	Re-order Code
	Brown		R48B6
	Grey	6m coil (2 x 3m)	R48G6
	White		R48W6









Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.



- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 3mm to 5mm

Colour		Length	Re-order Code
	Brown		R55B6
	White	6m coil (2 x 3m)	R55W6







RP59 - Window & Door Weather Strip 🖸



Superior quality self-adhesive door and window frame weather strip. This soft EPDM rubber seal is set into the corners between the stop and frame providing a compression seal.

- 6m single strip (2 x 3m) sufficient for average door frame
- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 2mm to 4mm

Colour		Length	Re-order Code
	Brown	6m coil (2 x 3m)	R59B6
	Grey		R59G6
	White		R59W6



13

raven.com.au © Raven Products 2024







RP61 - Draught Excluder 🗹




A self-adhesive soft woven pile draught seal which is ideal for sliding door and window applications.

- Ideal for sash window and other sliding seal applications
- · Long lasting quality
- Self-adhesive
- Grey woven pile
- Seals gaps: 3mm to 5mm

Colour	Length	Re-order Code
Grey	5m coil	R61





14

RP108 - Multi-use Rubber Sealing Strip 🖸





RP108 is a multi purpose, user determined self-adhesive EPDM compression seal.

User determined application only - more packs may be required

- Superior quality
- Self-adhesive
- Unique extra soft EPDM rubber
- Long life
- Seals gaps: 6mm to 8mm

Colour		Length	Re-order Code
	Grey		R108G
	White	2m coil	R108W




RAVEN





Keep your garage clean and dry! Stop rain, leaves and debris from blowing into your garage and protect your belongings from damage by sealing your garage door.

Raven's garage door seals are quick and easy to install and maintenance free.



Scan this QR code to view the full range online.








RAVEN 1014



RP141 - Garage Door Threshold Seal 🖸






- Suitable for Roll-Up, Panel-Lift and Tilt-up garage doors.
- Easy for cars and trucks to drive over
- A bushfire ember barrier up to BAL40 rating
- Maintenance free co-polymer with yellow step indicator
- Fits to a flat or stepped concrete floor





60



Roll-Up Panel-Lift Tilt-Up

Garage Seals







RP142 - Universal Replacement Roller-Door Seal



Universal replacement seal to suit garage roller-doors:

- Gliderol
- B&D (made after 1997)
- Stramit
- Steel-line

3 metres long for a standard, single roller-door. For a wider door, use two seals





Colour		Length	Re-order Code
Grey		3000mm	R142



RP143 - Replacement Roller-Door Seal 🖸



- Replacement seal to suit B&D garage roller-doors made before 1997.
- 3 metres long for a standard, single roller-door. For a wider door, use two seals
- Flexible polymer seal





18

Colour		Length	Re-order Code
Gı	irey	3000mm	R143







Introducing Raven's Trade Professional Range – a selection of commercial grade door bottom and frame seals, that are packaged in vibrant retail packaging ideal for instore display.

The Trade Professional range can be used in new and retrofit applications and is ideal for medium duty applications such as offices, shops, and commercial accommodation.

Easily identifiable icons for fire, smoke and acoustic applications, or antimicrobial properties distinguish the premium features of this range.

Clearly marked packs make self-selection simple and convenient for busy contractors and tradespersons on the go.





Duty Levels

Icons have been used to assist specifiers and builders to select the right duty level to meet the expected duty cycle for each building class.



Light Duty

Generally used in residential and light traffic areas such as Class 1 – 4 Buildings.



Medium Duty

Generally used in commercial and medium traffic areas such as Class 3 – 6 Buildings.

- Office spaces
- Shops
- Commercial accommodation



Heavy Duty

Generally used in heavy pedestrian and wheeled traffic areas such as Class 5 – 10 Buildings.

- Public hospitals
- Airports
- Factories
- Shopping centres

Applications

Icons have been used to help identify appropriate seals for various applications to make product selection easier. All seals are designed to meet most standards and in most cases, perform more than one function.



🔪 Weather



Energy, Draughts and Dust



Light



Insects and Vermin



Antimicrobial

Raven gaskets and cover strips contain antimicrobial compounds. Independently tested against E. Coli, Strep and MRSA.



Ambient (Cold) Smoke

Temperatures up to 70°C.



Medium Temperature Smoke (NCC S12C4)

Temperatures of 200°C for 30 minutes (smoke doors).



Fire and Hot Smoke

Fully developed fires exceeding 600°C (intumescent seals).



Fire (Approved)

In accordance with AS 1905.1.



BAL - LOW

Bushfire Attack Level in accordance with AS 3959.



Up to BAL - 29

Bushfire Attack Level in accordance with AS 3959.



Up to BAL - 40

Bushfire Attack Level in accordance with AS 3959.



Up to BAL - FZ (Flame Zone)

Bushfire Attack Level in accordance with AS 3959.



Noise – Acoustic



Access and Mobility

raven.com.au © Raven Products 2024 21







RP35SI - Automatic Door Bottom Seal 🕑



















An adjustable, automatic door bottom seal that is spring loaded to lift clear of the floor when the door is opened. It is acoustically designed, featuring silicon gaskets for medium temperature smoke and fire door applications. Operated automatically by pressure against the door jamb or stop on its adjustable strike.

- Ideal for timber and aluminium butt hinged doors up to 1070mm
- Screw fixed with fixings supplied
- Seals Gaps: 3mm to 13mm







	14 − 1
47	
3-13	

Colou	r	Length	Re-order Code
	Bronze Anodised	380mm	A35SIBT0380
		820mm	A35SIBT0820
		920mm	A35SIBT0920
		1070mm	A35SIBT1070
		380mm	A35SICT0380
		820mm	A35SICT0820
	Silver Anodised	920mm	A35SIBT0820 A35SIBT0920 A35SIBT1070 A35SICT0380 A35SICT0820 A35SICT0920
		1070mm	A35SICT1070





























RP120 is a co-extruded PVC acoustic and smoke seal that is discreetly located in the protected corners of rebated timber or steel door and window frames. RP120 is now available in white as well as black to blend in with frames and is suitable for both new and retrofit applications.

- Ideal for perimeters of single and double butt hinged doors and windows
- Self-adhesive fix
- Seals Gaps: 3mm to 5.5mm







ŀ	12
12	


22

Colou	r	Length	Re-order Code
	Black		R120B
	White	7200mm (6 x 1.2m)	R120W









M ♣ 2 👸 🔊 🧬 💋 👸 BAL













- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix
- Seals Gaps: 4mm to 8mm





Colour		•	Length	Re-order Code
		Black		R700BK6
		Brown		R700B6
		White		R700W6



RP710 - Door & Window Seal 🔮













A self-adhesive silicon compression acoustic smoke seal, that is













- discreetly located in the protected corners of rebated metal, PVC or timber door and window frames. Suitable for new and retrofit applications.
- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix
- Seals Gaps: 4mm to 6mm




















- Ideal for perimeters of single and double butt hinged doors and windows
- Silicone Rubber
- Self-adhesive fix
- Seals Gaps: 3mm to 4mm





24

Colour		Length	Re-order Code
	Black		R720BK6
	Brown		R720B6
	White		R720W6





Made from high quality anodised aluminium, Raven's range of floor edging, stair treads and trim are the ideal DIY solution available in various colours and lengths. Simply cut to size for a modern and flawless finish to flooring joins, thresholds and stair edges.

Scan this QR code to view the full range online.



© Raven Products 2024 raven.com.au

26






H230 - Lino Edge 🕑

- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 6 (H) x 24mm (W)





Colour		Length	Re-order Code
Cilver Anadiand	900mm	H230C	
	Silver Anodised	1800mm	H230AC
	Gold Anodised	900mm	H230G
		1800mm	H230AG




H231 - Carpet Edge 🕑




- Premium quality aluminium
- Dome head annular nails supplied (H235)
- Size: 9 (H) x 32mm (W)





Colour		Length	Re-order Code
Silver Anodised	Cilver Apadicad	900mm	H231C
	Sliver Ariodised	1800mm	H231AC
	Gold Anodised	900mm	H231G
		1800mm	H231AG






H233 - Flat Stair Edge 🕑

- Premium quality aluminium
- Size: 4 (H) x 38mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)





Colour		Length	Re-order Code
	1000mm	H233C	
	Silver Anodised	2000mm	H233AC
	Gold Anodised	1000mm	H233G
		2000mm	H233AG




H234 - Bullnose Stair Edge 🕑



- Premium quality aluminium
- Size: 15 (H) x 46mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)





28

Colour		Length	Re-order Code
	Cilver Apadicad	1000mm	H234C
	Silver Anodised	2000mm	H234AC
	Gold Anodised	1000mm	H234G
		2000mm	H234AG






H235 - Nails 6

- Dome head annular nail
- Size: 2.5 (Diameter) x 30mm (L)
- 5µm thick passivated plate
- 20 nails per pack
- Supplied with H230 Lino Edging and H231 Carpet Edging



29



Colour		•	Length	Re-order Code
		Silver Anodised	30mm	H235C
		Gold Anodised	30mm	H235G



raven.com.au © Raven Products 2024






H237 - Crescent Trim 🕑

- Ideal for use with Raven door seals

• Premium quality aluminium

- Size: 5 (H) x 25mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2





Colour		Length	Re-order Code
	Silver Anodised	900mm	H237C
		1800mm	H237AC
	Gold Anodised	900mm	H237G




H238 - Flat Trim 🕑



- Premium quality aluminium
- Ideal for use with Raven door seals
- Size: 3 (H) x 40mm (W)
- Can be drilled and screwed or if suited, fastened with builder's adhesive (screws and adhesive not supplied)
- Complies with AS 1428.1:2009 Part 7.2 / AS 1428.1:2021 Part 4.2





30

Colour		Length	Re-order Code
	900mm	H238C	
	Silver Anodised	1800mm	H238AC
	Gold Anodised	900mm	H238G
		1800mm	H238AG





Threshold Access Ramps

The simplest most affordable threshold access ramp for homes, at work, shops, professional practices and more!

Surprisingly affordable and much cheaper than messy cement or custom made metal plates. The Raven threshold ramp simply lays in place or permanently fix with builder's adhesive. Raven threshold ramps meet access and mobility gradient 1:8 at doorways (in path of access and egress).


- Reduce tripping hazards at doorways
- Made from slip resistant recycled rubber
- Quick and easy installation
- Meets access and mobility gradient 1:8 (in path of access and egress)

For safety & convenience:

- At home
- In aged care facilities
- In hotels & motels

Ideal for:

- Delivery drivers & tradies
- Wheelchair users



Cross-Section

Scan this QR code to view the full range online.



Threshold Access Ramps










Raven Threshold Access Ramps are ideal for users of wheelchairs, walking frames, electric scooters and hand trolleys; anyone that regularly traverses tripping hazards at doorways or abrupt surface transitions around the home or in the workplace.


- Retrofit solution
- Reduce tripping hazards
- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Simply cut to size

Colour	Size	Re-order Code
Black	25 (H) x 200 (W) x 1010mm (L)	TRO25



TR050 - 50mm Threshold Access Ramp 6










- Slip resistant recycled rubber
- Quick and easy installation
- Lower cost than cement or metal plate
- Meets access and mobility gradient 1:8 (in path of access and egress)
- Maintenance free
- Simply cut to size









33



DIY Window Cleaner Squeegees

Founder of Raven Products Pty Ltd, Peter Raven, invented and patented the world's first combination window cleaner / squeegee in the early 1950's. The Raven range of window cleaners and squeegees have remained a popular line in hardware stores across Australia ever since.

Constructed with ultralight aluminium, premium quality sponge and brush and incorporating a unique double life reversible rubber blade, the Raven range of window cleaners and squeegees are designed for reliable everyday window cleaning use.

Ideal for efficient window cleaning around the home, Raven window cleaners and squeegees are also suitable for cleaning motor car windscreens, boats, shower screens and more.

Scan this QR code to view the full range online.

© Raven Products 2024 raven.com.au

34

DIY Window Cleaner Squeegees





H209A - Window Cleaner Squeegee 300mm @

- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole



355	
110	

300

Colour		Length	Re-order Code
	Silver Anodised	300mm	H209a



H209B - Window Cleaner Squeegee 400mm



- Aluminium construction
- Premium quality brush and sponge
- Reversible double life rubber blade
- Includes 395mm reach pole



355	
110	400

Colour		Length	Re-order Code
	Silver Anodised	400mm	H209b

© Raven Products 2024 35 raven.com.au


DIY Window Cleaner Squeegees




H223 - Window Squeegee 225mm 🕑
















Colour		Length	Re-order Code
	Mill Finish	225mm	H223

H224 - Window Squeegee 300mm 🕑








• Ergonomic handle grip fits most broom handles and extension






Colour		Length	Re-order Code
	Mill Finish	300mm	H224


36 © Raven Products 2024 raven.com.au

DIY Window Cleaner Squeegees




H225 - Window Squeegee 400mm 🕑














Colour		Length	Re-order Code
	Mill Finish	400mm	H225


H2095 - Precision Rubber Blade 400mm 🕑





- Unique reversible rubber squeegee blade for twice the life.
- Suits any Raven Window Squeegee or Raven Window Cleaner Squeegee
- Simply cut to size

Colour		•	Length	Re-order Code
		Grey	400mm	H209S





Window

Window Cleaner Squeegee

Squeegee

37

© Raven Products 2024 raven.com.au



Glidex® Advanced Window Cleaning

Glidex® advanced window cleaning products combines six years of research and development using leading-edge manufacturing technologies.

Developed for the intense professional window cleaning market, Glidex® advanced window cleaning products are available through leading hardware outlets across Australia. The range includes professional grade, window squeegees and aluminium extension reach poles and accessories that include utility end tips, squeegee blades, channels, and spares.

The Glidex® professional range is perfect for coastal homes, retail shop owners and anyone wanting a safer and easier cleaning experience for larger glass areas with professional results.

Scan this QR code to view the full range online.

© Raven Products 2024 glidex.com.au

38





© Raven Products 2024 glidex.com.au





300mm Window Squeegee 🕑

- Unique reversible double life squeegee blade
- Aircraft grade aluminium channel
- Ergonomic swivel handle
- Fittings moulded in engineering grade Nylon 66
- Unique Safe-Connect™ latch feature for Glidex® poles
- Unique double action lever lock feature
- Unique extra fitment groove to alter squeegee angle





Colour	Length	Re-order Code
Dark Grey / Blue	300mm	GS12D



450mm Channel & Rubber



- Ultra stiff alloy channel
- High temper aircraft grade aluminium
- Unique reversible double life squeegee blade
- Stainless steel retaining clips



450		
_	Ш	

40

Colour		Length	Re-order Code
	Blue	450mm	GC18D

© Raven Products 2024 glidex.com.au






350mm T-Bar Window Washer 🕑

- Unique Safe-Connect™ latch feature for Glidex® poles
- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook and loop style fastening tabs





Colour	Length	Re-order Code
Dark Grey / Blue	350mm	GT14D



350mm Window Washer Replacement Sleeve 🕑



- Premium quality, microfibre yarn for maximum absorbency and durability
- Double seam sewn ends for longer life
- Convenient hook & loop style fastening tabs



350	
-----	--

Colour	•	Length	Re-order Code
	Blue	350mm	GW14D

© Raven Products 2024 41 glidex.com.au






910mm Window Squeegee Refill Blade 🕑

- Unique reversible double life squeegee blade
- High quality natural rubber
- Simply cut to length
- Unique micro-eye process ensures rubber blade is free from imperfections





Colour	Length	Re-order Code
Black	910mm	GR36D




Utility End Tip 🔮



- Fits Glidex® extension poles
- Fits most paint rollers, brushes and squeegees
- Fittings moulded in engineering grade Nylon 66





42

Colour		Length	Re-order Code
Da	ark Grey	N/A	GPE2D

© Raven Products 2024 glidex.com.au





2 Section Extension Pole

- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66
- Extends to 600mm (2 feet)



Colou	r	Length	Re-order Code
	Silver Anodised	600mm	G2P2



Extended Pole Dimension: 600mm (2')





3 Section Extension Pole



- Aircraft grade anodised aluminium
- Safe-Connect™ latch feature for Glidex® attachments
- Fluted grip design for added comfort and safety
- Fittings moulded in engineering grade Nylon 66
- Extends to 2900mm (9 feet)



43

Colour		Length	Re-order Code
	Silver Anodised	2900mm	G3P9

1155mm (4')

Extended Pole Dimension: 2900mm (9')



glidex.com.au © Raven Products 2024



Inspire® Garden Edging's unique patented tooth design makes installation so quick and simple that anyone can do it.

With Inspire® Garden Edging you can achieve a professional finish without the hard work. Designed and manufactured in Australia, Inspire® garden edging does not need expensive pegs.

Australia's harsh weather conditions can be a challenge for any outdoor product. To meet this challenge head-on, Inspire® Garden Edging is made from durable, high grade colour-coated galvanised steel. Above all, this quality dual-layer protective coating ensures the longest life to keep your garden looking its best.


Available in Modern & Heritage designs.



Scan this QR code to view the installation video.






















- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour	Length	Re-order Code
Wood Grey	1000mm	EH100WG













- Joiners included
- No pegs required! Just hammer in place!
- Conveniently bend to required shape
- Rolled edge for extra safety
- Easily bend teeth out of the way of roots, pipes, or rocks
- Made from Colour-Coated Galvanised Steel



Colour	Length	Re-order Code
Wood Grey	1000mm	EM100WG





Index



E	R
EH100WG46	RP2a5
EM100WG	RP35
G	RP46
G	RP56
G2P2	RP1411
G3P9	RP14a
GC18D	RP14b
GPE2D	RP17
GR36D	RP35Si22
GS12D	RP4812
GT14D41	RP54
GW14D41	RP5513
Н	RP59
••	RP60
H209A35	RP61
H209B35	RP838
H209s	RP10814
H223	RP12022
H22436	RP1239
H225	RP141
H230	RP142
H23127	RP143
H23328	RP70023
H23428	RP71023
H23529	RP72024
H23730	_
H23830	Т
	TR025
	TR050



Exclusively brought to you by:



A: 1 Tampines North Drive 3 #07-09 BHCC Space Singapore 528499 **P**:+65 6100 7824

E:support@faishak.com

A : Olympia Technology Park No. 1 SIDCO Industrial Building Chennai 600032, India

P: +91 6369 1388 35

W: support@faishak.com





Raven Products Pty. Ltd.

Head Office and Factory 18-22 Aldershot Road, Lonsdale SA 5160 Australia

T (08) 8384 5455 T 1800 888 123 (free call) E sales@raven.com.au raven.com.au